

Page 1/11

\*

\*

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

1.1 Product identifier	-
-	
	P BUMPERSPRAY DARK GREY 400 ML
No further relevant in	ed uses of the substance or mixture and uses advised against
	es: Private households / general public / consumers uses: Public domain (administration, education, entertainment, services, craftsmen) int remover
PROC7 Industrial sp PROC11 Non indust Application of the su	
	pplier of the safety data sheet
Manufacturer/Supple	ier:
European Aerosols B Wolfraamweg 2	. <i>V</i> .*
NL-8471 XC Wolvege	ı
<i>The Netherlands</i> <i>Tel</i> : +31 (0)561 6944	400
e-mail: sds-nl@europ	
*Formerly known as	Motip Dupli B.V.
-	obtainable from: Department Product Safety
1.4 Emergency teleph	hone number:
$\pm 31 (0)561 60 AAOO 0$	09:00h - 17:00h)
+31 (0)561-694400 (0	
	Poisons Information Centre Tel: +44 0344 892 0111
UK: NPIS National P	Poisons Information Centre Tel: +44 0344 892 0111
UK: NPIS National P SECTION 2: Haz	Poisons Information Centre Tel: +44 0344 892 0111 cards identification
UK: NPIS National P SECTION 2: Haz 2.1 Classification of	Poisons Information Centre Tel: +44 0344 892 0111 cards identification the substance or mixture
UK: NPIS National P SECTION 2: Haz 2.1 Classification of	Poisons Information Centre Tel: +44 0344 892 0111 cards identification
UK: NPIS National P SECTION 2: Haz 2.1 Classification of Classification accord	Poisons Information Centre Tel: +44 0344 892 0111 cards identification the substance or mixture
UK: NPIS National F SECTION 2: Haz 2.1 Classification of Classification accord	Poisons Information Centre Tel: +44 0344 892 0111 cards identification the substance or mixture ling to Regulation (EC) No 1272/2008
UK: NPIS National F SECTION 2: Haz 2.1 Classification of Classification accord	Poisons Information Centre Tel: +44 0344 892 0111 cards identification the substance or mixture
UK: NPIS National F SECTION 2: Haz 2.1 Classification of Classification accord	Poisons Information Centre Tel: +44 0344 892 0111 cards identification the substance or mixture ling to Regulation (EC) No 1272/2008
UK: NPIS National F SECTION 2: Haz 2.1 Classification of Classification accord	Poisons Information Centre Tel: +44 0344 892 0111 cards identification the substance or mixture ling to Regulation (EC) No 1272/2008
UK: NPIS National P SECTION 2: Haz 2.1 Classification of Classification accord flame Aerosol 1 H222-H2	Poisons Information Centre Tel: +44 0344 892 0111 cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated.
UK: NPIS National F SECTION 2: Haz 2.1 Classification of Classification accord Classification accord flame Aerosol 1 H222-H2 Eye Irrit. 2 H319 STOT SE 3 H336 2.2 Label elements	Poisons Information Centre Tel: +44 0344 892 0111 cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation. May cause drowsiness or dizziness.
UK: NPIS National F SECTION 2: Haz 2.1 Classification of Classification accord Classification accord flame Aerosol 1 H222-H2 Eye Irrit. 2 H319 STOT SE 3 H336 2.2 Label elements Labelling according	Poisons Information Centre Tel: +44 0344 892 0111 cards identification the substance or mixture ling to Regulation (EC) No 1272/2008 229 Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation.

Page 2/11

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

#### Trade name: MOTIP BUMPERSPRAY DARK GREY 400 ML

TI	(Contd. of page
Hazard pi	ctograms
	$\wedge$
<b>〈鬯〉</b>	
$\nabla$	$\mathbf{V}$
GHS02	GHS07
Signal wo	<b>rd</b> Danger
Hazard-de	etermining components of labelling:
acetone	
n-butyl ac	etate
2-methoxy	-1-methylethyl acetate
butan-1-ol	
Hazard sta	atements
H222-H22	9 Extremely flammable aerosol. Pressurised container: May burst if heated.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
Precaution	nary statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P260	Do not breathe spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / eye protection.
	51+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
1000 1100	present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P31	
P410+P41	
P501	Dispose of contents / container in accordance with regional regulations.
	l information:
	Repeated exposure may cause skin dryness or cracking.
	explosive mixtures possible without sufficient ventilation.
	Varning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or
	nist.
2.3 Other	hazards
	PBT and vPvB assessment
	applicable.
	t applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

\*

 $\cdot$  **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

GB

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

#### Trade name: MOTIP BUMPERSPRAY DARK GREY 400 ML

Dangerous components:		
CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8 Reg.nr.: 01-2119471330-49	acetone Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 EUH066	25-<50%
CAS: 115-10-6 EINECS: 204-065-8 Index number: 603-019-00-8 Reg.nr.: 01-2119472128-37	dimethyl ether Flam. Gas 1A, H220 Press. Gas (Comp.), H280	12.5-<20%
CAS: 123-86-4 EINECS: 204-658-1 Index number: 607-025-00-1 Reg.nr.: 01-2119485493-29	n-butyl acetate Flam. Liq. 3, H226 STOT SE 3, H336 EUH066	10-<12.5%
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	5-<10%
CAS: 108-65-6 EINECS: 203-603-9 Index number: 607-195-00-7 Reg.nr.: 01-2119475791-29	2-methoxy-1-methylethyl acetate Flam. Liq. 3, H226 STOT SE 3, H336	5-<10%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane (containing < 0,1 % butadiene (203-450-8)) Flam. Gas 1A, H220 Press. Gas (Comp.), H280	5-<10%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27	isobutane (containing < 0,1 % butadiene (203-450-8)) Flam. Gas 1A, H220 Press. Gas (Comp.), H280	5-<10%
CAS: 9004-70-0	cellulose nitrate	<2.5%
CAS: 71-36-3 EINECS: 200-751-6 Index number: 603-004-00-6 Reg.nr.: 01-2119484630-38	butan-1-ol ◆ Flam. Liq. 3, H226 ◆ Eye Dam. 1, H318 ◆ Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335- H336	<2.5%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17	titanium dioxide 🚸 Carc. 2, H351	<2.5%

· Additional information:

CAS 9004-70-0: GB CLP Note T

For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

· After eye contact:

\*

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)

<sup>-</sup> GB

Page 4/11

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

(Contd. of page 3)

#### Trade name: MOTIP BUMPERSPRAY DARK GREY 400 ML

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- $\cdot$  5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

#### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
   Wear protective equipment. Keep unprotected persons away.
   Keep away from ignition sources.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

#### · Information about fire - and explosion protection:

- Do not spray onto a naked flame or any incandescent material.
- Keep ignition sources away Do not smoke.
- Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. • Storage class: 2 B
- Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

#### · Ingredients with limit values that require monitoring at the workplace:

#### 67-64-1 acetone

- WEL Short-term value: 3620 mg/m<sup>3</sup>, 1500 ppm
  - Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm

(Contd. on page 5)

GB

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

#### Trade name: MOTIP BUMPERSPRAY DARK GREY 400 ML

	(Contd. of page 4)
115-	10-6 dimethyl ether
WEL	Short-term value: 958 mg/m³, 500 ppm
	Long-term value: 766 mg/m <sup>3</sup> , 400 ppm
123-	86-4 n-butyl acetate
WEL	Short-term value: 966 mg/m³, 200 ppm
	Long-term value: 724 mg/m <sup>3</sup> , 150 ppm
108-	65-6 2-methoxy-1-methylethyl acetate
WEL	Short-term value: 548 mg/m³, 100 ppm
	Long-term value: 274 mg/m <sup>3</sup> , 50 ppm
	Sk
106-	97-8 butane (containing < 0,1 % butadiene (203-450-8))
WEL	Short-term value: 1810 mg/m <sup>3</sup> , 750 ppm
	Long-term value: 1450 mg/m <sup>3</sup> , 600 ppm
	Carc (if more than 0.1% of buta-1.3-diene)
71-3	6-3 butan-1-ol
WEL	Short-term value: 154 mg/m <sup>3</sup> , 50 ppm
	Sk
1346	3-67-7 titanium dioxide
WEL	Long-term value: 10* 4** mg/m <sup>3</sup>
	*total inhalable **respirable
· Addi	tional information: The lists valid during the making were used as basis.
· 8 2 F	Exposure controls
	opriate engineering controls No further data; see item 7.
	vidual protection measures, such as personal protective equipment
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
Imm	ediately remove all soiled and contaminated clothing
Wash	hands before breaks and at the end of work

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Avoid contact with the eyes.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3 · Hand protection



Protective gloves

· Material of gloves

Butyl rubber, BR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material Butyl rubber gloves with a thickness of 0.4 mm are resistant to: Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min

Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42-480 minutes. As protective measure, we recommend that users and responsible persons for work safety assume solvent resistance length (Contd. on page 6)

GB

Page 6/11

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

#### Trade name: MOTIP BUMPERSPRAY DARK GREY 400 ML

(Contd. of page 5) of 42 minutes. Considering the data in section 3 of this SDS, one can assume longer resistance length in particular cases.

· Eye/face protection



\*

Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

0.1 Information on basis abusisal and showing la	monoution
9.1 Information on basic physical and chemical p General Information	roperiles
· General Information · Physical state	Assessed
•	Aerosol Different according to colouring
· Colour:	Different according to colouring
· Odour:	Solvent-like
· Odour threshold:	Not determined.
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.
· Boiling point or initial boiling point and boiling	
range	Not applicable, as aerosol.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	1.2 Vol %
· Upper:	26.2 Vol %
· Flash point:	Not applicable, as aerosol.
· Ignition temperature:	$240 \ ^{\circ}C \ (464 \ ^{\circ}F)$
• Decomposition temperature:	Not determined.
· pH	Not determined.
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	noi ucicimineu.
• water:	Not miscible or difficult to mix.
• <i>Partition coefficient n-octanol/water (log value)</i>	Not determined.
• Vapour pressure at 20 $\bullet C$ (68 $\bullet F$ ):	4000 hPa (3000.2 mm Hg)
	4000 hFu (5000.2 mm Hg)
• Density and/or relative density	0.8 - (3)(6.7)(1 - (1))
• Density at 20 • C (68 • F):	$0.8 \text{ g/cm}^3 (6.7 \text{ lbs/gal})$
Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Aerosol
· Important information on protection of health an	
environment, and on safety.	••
• Explosive properties:	Not determined.
· Solvent content:	
• Organic solvents:	89.2 %
· Water:	0.2 %
· VOC (EC)	
	 674.0 g/l
· VOC-EU%	89.22 %
· Solids content:	9.6 %
Change in condition	
· Evaporation rate	Not applicable.
	(Contd. on page 7)

(Contd. on page 7)

GB

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

#### Trade name: MOTIP BUMPERSPRAY DARK GREY 400 ML

	(Contd. of page 6)
· Information with regard to physical hazard of	classes
· Explosives	Void
· Flammable gases	Void
· Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
$\cdot$ Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flamm	able
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

\*

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### SECTION 11: Toxicological information

#### · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity

67-64-1 acetone			
Oral	LD50	5800 mg/kg (rat)	
Dermal	LD50	>15800 mg/kg (rabbit)	
Inhalative	LC50 / 4h	76 mg/l (rat)	
123-86-4 1	i-butyl aceta	ate	
Oral	LD50	10800 mg/kg (rat) (OECD 401)	
Dermal	LD50	>17600 mg/kg (rabbit)	
Inhalative	LC50 / 4 h	>21 mg/m3 (rat)	
108-65-62	2-methoxy-1	-methylethyl acetate	
Oral	LD50	8530 mg/kg (rat)	
Dermal	LD50	>5000 mg/kg (rabbit)	
Inhalative	LC50 / 4 h	>10000 mg/m3 (rat)	
71-36-3 bi	itan-1-ol		
Oral	LD50	2292 mg/kg (rat)	

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

#### Trade name: MOTIP BUMPERSPRAY DARK GREY 400 ML

		(Contd. of page 7)	
Dermal	LD50	3430 mg/kg (rabbit)	
Inhalative	LC50 / 4 h	17000 mg/m3 (rat)	
· Skin corro	sion/irritati	on No irritant effect.	
· Serious ey	e damage/ir	ritation Causes serious eye irritation.	

· Respiratory or skin sensitisation No sensitising effects known.

· STOT-single exposure May cause drowsiness or dizziness.

 $\cdot$  11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

• Aquatic toxicity:

67-64-1 acetone

LC50/96h 8300 mg/l (fish)

EC50/96h 7200 mg/l (algae)

LC50 / 48 h 8450 mg/l (crustacean (water flea))

#### 115-10-6 dimethyl ether

EC50 / 96 h 155 mg/l (algae)

LC50/48 h >4000 mg/l (daphnia magna)

LC50 / 96 h >4000 mg/l (fish)

#### 108-65-6 2-methoxy-1-methylethyl acetate

EC50 / 48 h >500 mg/l (daphnia magna)

LC50 / 96 h 100-180 mg/l (oncorhynchus mykiss / Regenbogenforelle)

71-36-3 butan-1-ol

LC50/96 h 1376 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- $\cdot$  Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

Page 9/11

\*

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

(Contd. of page 8)

#### Trade name: MOTIP BUMPERSPRAY DARK GREY 400 ML

#### · Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations. Disposal must be made according to official regulations.

## SECTION 14: Transport information

SECTION 14. Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1950
· 14.2 UN proper shipping name · ADR · IMDG · IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable
· 14.3 Transport hazard class(es)	
·ADR	
· Class	2 5F Gases.
·Label	2.1
· IMDG, IATA	
· Class	2.1 Gases.
· Label	2.1
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Code</li> <li>Segregation Code</li> </ul>	Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
	(Contd. on page 10
	(Cond. on page 10

Page 10/11

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

Trade name: MOTIP BUMPERSPRAY DARK GREY 400 ML

	(Contd. of page 9
· 14.7 Maritime transport in bulk according	to IMO
instruments	Not applicable.
· Transport/Additional information:	
·ADR	
· Limited quantities (LQ)	1L
$\cdot$ Excepted quantities ( $\widetilde{E}Q$ )	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
• Tunnel restriction code	D
· IMDG	
$\cdot$ Limited quantities (LQ)	1L
· Excepted quantities $(\widetilde{E}Q)$	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
· UN ''Model Regulation'':	UN 1950 AEROSOLS, 2.1

## SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

\*

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H201 Explosive; mass explosion hazard.

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.

(Contd. on page 11)

GB

Page 11/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.06.2022

Version number 2 (replaces version 1)

Revision: 30.03.2022

#### Trade name: MOTIP BUMPERSPRAY DARK GREY 400 ML

FULLOGE Demonstration and the demonstration of the	(Contd. of page
EUH066 Repeated exposure may cause skin dryness or c	racking.
Department issuing SDS: R&D legislation and regulator	ry advisor
Contact: e-mail: sds-nl@european-aerosols.com	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandise.	s dangereuses par chemin de fer (Regulations Concerning the
International Transport of Dangerous Goods by Rail)	s aangereases par enemin ae jer (negatations concerning me
ICAO: International Civil Aviation Organisation	
ADR: Accord relatif au transport international des marchandises dange	reuses par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of C	hemicals
EINECS: European Inventory of Existing Commercial Chemical Substan	nces
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Se	ociety)
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Expl. 1.1: Explosives – Division 1.1	
Flam. Gas 1A: Flammable gases – Category 1A	
Aerosol 1: Aerosols – Category 1	
Press. Gas (Comp.): Gases under pressure – Compressed gas	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eve Dam. 1: Serious eve damage/eve irritation – Category 1	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
<i>Carc. 2: Carcinogenicity – Category 2</i>	
STOT SE 3: Specific target organ toxicity (single exposure) – Category	3
	5
* Data compared to the previous version altered.	