

according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)2021-03-24.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Interflon Fin Super (Aerosol)

Registration number (REACH) not relevant (mixture)
Unique formula identifier - UFI JF10-605P-X00E-XYQ8

1.2

Scope lubricant

1.3 Details of the supplier of the safety data sheet

Interflon BV Belder 47 4704 RK Roosendaal Netherlands

Telephone: +31 (0)165 553911 e-mail: Service@interflon.com Website: www.interflon.com

e-mail (competent person) Service@interflon.com (Service lab)

1.4 Emergency telephone number

Poison centre					
Country	Name	Postal code/ city	Telephone	Telefax	Opening hours
United Kingdom	UK National Poison Centre		UK National Poisons Emergency number: +44 870 600 6266		Mon - Fri 12:00 AM - 11:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.3	aerosols	1	Aerosol 1	H222,H229
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	skin sensitisation	1B	Skin Sens. 1B	H317
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

United Kingdom: en Page: 1 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word. danger

- Pictograms

GHS02, GHS07



- Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container to industrial combustion plant.

- Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Additional labelling according to Directive 75/324/EEC relating to aerosol dispensers

Extremely flammable. Pressurized container: may burst if heated. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- Hazardous ingredients for labelling

Amines, C10-14-tert-alkyl

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Product description

Mixture of mineral and vegetable oils, additives and Micpol®

United Kingdom: en Page: 2 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)

Hazardous ingredients

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Hydrocarbons, C11-C14, n-al- kanes, isoalkanes, cyclic, <2% aromatics	CAS No 64742-47-8	25 - < 50	Asp. Tox. 1 / H304	
aromatics	EC No 926-141-6			
	REACH Reg. No 01-2119456620-43-xxxx			
Hydrocarbons, C10-C13, n-al- kanes, isoalkanes, cyclics, < 2% aromatics	CAS No 64742-48-9	10 - < 25	Asp. Tox. 1 / H304	
2% aromatics	EC No 918-481-9			
	Index No 649-327-00-6			
	REACH Reg. No 01-2119457273-39-xxxx			
butane	CAS No 106-97-8	10 - < 25	Flam. Gas 1 / H220 Press. Gas C / H280	C(a) K(b)
	EC No 203-448-7			
	Index No 601-004-00-0			
	REACH Reg. No 01-2119474691-32-xxxx			
Propane	CAS No 74-98-6	5-<10	Flam. Gas 1 / H220 Press. Gas L / H280	
	EC No 200-827-9			
	Index No 601-003-00-5			
	REACH Reg. No 01-2119486944-21-xxxx			
isobutane	CAS No 75-28-5	5 – < 10	Flam. Gas 1 / H220 Press. Gas C / H280	C(a) GHS-HC U
	EC No 200-857-2			
	Index No 601-004-00-0			
	REACH Reg. No 01-2119485395-27-xxxx			

United Kingdom: en Page: 3 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number: Date of issue **Revision:** 2021-03-24 2021-03-24.

Replaces version: (2)

Name of substance	Identifier	Wt%	Classification acc. to GHS	Notes
Distillates (petroleum), hydro- treated heavy paraffinic	CAS No 64742-54-7 EC No 265-157-1 Index No 649-467-00-8 REACH Reg. No 01-2119484627-25-xxxx	1-<5	Asp. Tox. 1 / H304	GHS-HC L(a) L(b)
(Z)-N-methyl-N-(1-oxo-9-octa- decenyl)glycine	CAS No 110-25-8 EC No 203-749-3 REACH Reg. No 01-2119488991-20-xxxx	1-<5	Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412	
Amines, N-(C16-18 (even numbered) and C18-unsatd. alkyl) trimethylenedi-, eth- oxylated(NLP)	CAS No 1290049-56-7 EC No 800-029-6 REACH Reg. No 01-2119962190-43-xxxx	<1	Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	
(Z)-octadec-9-enylamine, C16- 18-(even numbered, satur- ated and unsaturated)-al- kylamines	CAS No 1213789-63-9 EC No 627-034-4 REACH Reg. No 01-2119473797-19-xxxx	<1	Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 STOT RE 2 / H373 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	
Amines, C10-14-tert-alkyl	CAS No 68955-53-3 EC No 701-175-2 REACH Reg. No 01-2119456798-18-xxxx	<1	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 2 / H330 Skin Corr. 1B / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	

Notes

C(a):

GHŚ-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC,

K(b):

L(a): L(b): U:

Harmonised classification (the classification of the substance corresponds to the chary in the classification as a carcinogen or mutagen is not required. The substance contains less than 0,1 % w/w 1,3-butadiene (EINECS No 203-450-8). If the substance is not classified as a carcinogen or mutagen, at least the precautionary statements (P102-) P210-P403 should apply
The classification as a carcinogen is mandatory. The substance contains at least 3 % DMSO extract
The classification as a carcinogen is not required. The substance contains less than 3 % DMSO extract
When put on the market gases have to be classified as 'Gases under pressure', in one of the groups compressed gas, lique-fied gas, refrigerated liquefied gas or dissolved gas. The group depends on the physical state in which the gas is packaged and therefore has to be assigned case by case.

United Kingdom: en Page: 4 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

 Version number:
 Date of issue
 Revision:

 2.7
 2021-03-24
 2021-03-24.

Replaces version: (2)

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
(Z)-N-methyl-N-(1-oxo-9-oct- adecenyl)glycine	-	-	11 ^{mg} / _l /4h 1.37 ^{mg} / _l /4h	inhalation: vapour inhalation: dust/mist
Distillates (petroleum), hydrotreated heavy paraffinic	-	-	2.18 ^{mg} / _l /4h	inhalation: dust/mist
(Z)-octadec-9-enylamine, C16-18-(even numbered, saturated and unsaturated)- alkylamines	-	M-factor (acute) = 10.0 M-factor (chronic) = 10.0	1,689 ^{mg} / _{kg}	oral
Amines, N-(C16-18 (even numbered) and C18-unsatd. alkyl) trimethylenedi-, eth- oxylated(NLP)	-	M-factor (acute) = 10.0	500 ^{mg} / _{kg}	oral
Amines, C10-14-tert-alkyl	-	-	500 ^{mg} / _{kg} 251 ^{mg} / _{kg} 0.5 ^{mg} / _I /4h	oral dermal inhalation: vapour

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom: en Page: 5 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

 Version number:
 Date of issue
 Revision:

 2.7
 2021-03-24
 2021-03-24.

Replaces version: (2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

United Kingdom: en Page: 6 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)2021-03-24.

7.2 Conditions for safe storage, including any incompatibilities

Conditions of storage

Store in accordance with local/regional/national/international regulations. Keep container tightly closed and in a well-ventilated place.

Managing of associated risks

- Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight. Do not expose to temperatures exceeding $50\,^{\circ}\text{C}/122\,^{\circ}\text{F}$.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)									
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]			Ceiling-C [mg/m³]	Source
GB	butane	106-97-8	WEL	600	1,450	750	1,810			EH40/ 2005

Notation

Ceiling-C

ceiling value is a limit value above which exposure should not occur

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute peri-

od (unless otherwise specified)

TWA

 $time-weighted\ average\ (long-term\ exposure\ limit):\ measured\ or\ calculated\ in\ relation\ to\ a\ reference\ period\ of\ 8\ hours$

time-weighted average (unless otherwise specified)

no data available

Relevant DNELs of components of the mixture Name of substance CAS No **Endpoint Threshold** Protection goal, Used in **Exposure time** level route of exposure 110-25-8 (Z)-N-methyl-N-(1-oxo-DNEL 0.8 mg/m³ human, inhalatory worker (industry) chronic - systemic ef-9-octadecenyl)glycine fects (Z)-N-methyl-N-(1-oxo-110-25-8 **DNEL** 20 mg/kg human, dermal worker (industry) chronic - systemic ef-9-octadecenyl)glycine bw/day fects (Z)-octadec-9-enylam-1213789-63-9 DNEL 0.38 mg/m³ human, inhalatory worker (industry) chronic - systemic efine, C16-18-(even fects numbered, saturated and unsaturated)-alkylamines (Z)-octadec-9-enylam-1213789-63-9 **DNEL** 1 mg/m³ human, inhalatory worker (industry) chronic - local effects ine, C16-18-(even numbered, saturated and unsaturated)-alkylamines

United Kingdom: en Page: 7 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)

Relevant DNFLs	of components	of the mixture
Relevant Division	or components	or the mixture

•							
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
(Z)-octadec-9-enylam- ine, C16-18-(even numbered, saturated and unsaturated)-al- kylamines	1213789-63-9	DNEL	1 mg/m³	human, inhalatory	worker (industry)	acute - local effects	
Amines, N-(C16-18 (even numbered) and C18-unsatd. alkyl) tri- methylenedi-, eth- oxylated(NLP)	1290049-56-7	DNEL	0.12 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects	
Amines, N-(C16-18 (even numbered) and C18-unsatd. alkyl) tri- methylenedi-, eth- oxylated(NLP)	1290049-56-7	DNEL	0.017 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects	
Amines, C10-14-tert- alkyl	68955-53-3	DNEL	12.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic ef- fects	
Amines, C10-14-tert- alkyl	68955-53-3	DNEL	12.1 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects	

Relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
(Z)-N-methyl-N-(1-oxo- 9-octadecenyl)glycine	110-25-8	PNEC	0.43 ^{µg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
(Z)-N-methyl-N-(1-oxo- 9-octadecenyl)glycine	110-25-8	PNEC	0.043 ^{µg} / _l	aquatic organisms	marine water	short-term (single in- stance)
(Z)-N-methyl-N-(1-oxo- 9-octadecenyl)glycine	110-25-8	PNEC	1 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)
(Z)-N-methyl-N-(1-oxo- 9-octadecenyl)glycine	110-25-8	PNEC	0.007 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)
(Z)-N-methyl-N-(1-oxo- 9-octadecenyl)glycine	110-25-8	PNEC	0.001 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)
(Z)-N-methyl-N-(1-oxo- 9-octadecenyl)glycine	110-25-8	PNEC	1.71 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)
(Z)-octadec-9-enylam- ine, C16-18-(even numbered, saturated and unsaturated)-al- kylamines	1213789-63-9	PNEC	0.26 ^{µg} / _l	aquatic organisms	freshwater	short-term (single in- stance)
(Z)-octadec-9-enylam- ine, C16-18-(even numbered, saturated and unsaturated)-al- kylamines	1213789-63-9	PNEC	0.026 ^{µg} / _I	aquatic organisms	marine water	short-term (single instance)

United Kingdom: en Page: 8 / 25



alkyl

Amines, C10-14-tert-

alkyl

68955-53-3

PNEC

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

 Version number:
 Date of issue
 Revision:

 2.7
 2021-03-24
 2021-03-24.

Replaces version: (2) Relevant PNECs of components of the mixture CAS No **Endpoint Threshold** Name of substance Organism **Environmental Exposure time** level compartment (Z)-octadec-9-enylam-1213789-63-9 **PNEC** 550 ^{µg}/_I aquatic organisms sewage treatment short-term (single inine, C16-18-(even plant (STP) stance) numbered, saturated and unsaturated)-alkylamines 3.76 ^{mg}/_{kg} (Z)-octadec-9-enylam-1213789-63-9 **PNEC** freshwater sediment short-term (single inaquatic organisms ine, C16-18-(even stance) numbered, saturated and unsaturated)-alkylamines 0.376 ^{mg}/_{kg} (Z)-octadec-9-enylam-1213789-63-9 **PNEC** aquatic organisms marine sediment short-term (single inine, C16-18-(even stance) numbered, saturated and unsaturated)-alkylamines $10 \frac{\text{mg}}{\text{kg}}$ (Z)-octadec-9-enylam-1213789-63-9 **PNEC** terrestrial organsoil short-term (single inine, C16-18-(even isms stance) numbered, saturated and unsaturated)-alkylamines Amines, N-(C16-18 1290049-56-7 **PNEC** $2 \mu g/I$ freshwater aquatic organisms short-term (single in-(even numbered) and stance) C18-unsatd. alkyl) trimethylenedi-, ethoxylated(NLP) Amines, N-(C16-18 1290049-56-7 **PNEC** $0.2 \, \mu g/i$ aquatic organisms marine water short-term (single in-(even numbered) and stance) C18-unsatd. alkyl) trimethylenedi-, ethoxylated(NLP) 1.6 mg/ı short-term (single in-Amines, N-(C16-18 1290049-56-7 **PNEC** aquatic organisms sewage treatment (even numbered) and plant (STP) stance) C18-unsatd. alkyl) trimethylenedi-, ethoxylated(NLP) 7.5 ^{mg}/_{kg} Amines, N-(C16-18 1290049-56-7 **PNEC** aquatic organisms freshwater sediment short-term (single in-(even numbered) and stance) C18-unsatd. alkyl) trimethylenedi-, ethoxylated(NLP) $0.75 \frac{mg}{kg}$ Amines, N-(C16-18 1290049-56-7 **PNEC** marine sediment short-term (single inaquatic organisms (even numbered) and stance) C18-unsatd. alkyl) trimethylenedi-, ethoxylated(NLP) 5 mg/kg Amines, N-(C16-18 1290049-56-7 **PNEC** terrestrial organsoil short-term (single in-(even numbered) and isms stance) C18-unsatd. alkyl) trimethylenedi-, ethoxylated(NLP) Amines, C10-14-tert-0.001 mg/₁ 68955-53-3 **PNEC** aquatic organisms freshwater short-term (single in-

United Kingdom: en Page: 9 / 25

aquatic organisms

marine water

 $0 \frac{mg}{I}$

stance)

short-term (single in-

stance)



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

 Version number:
 Date of issue
 Revision:

 2.7
 2021-03-24
 2021-03-24.

Replaces version: (2)

Relevant PNECs of components of the mixture							
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time	
Amines, C10-14-tert- alkyl	68955-53-3	PNEC	0.635 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)	
Amines, C10-14-tert- alkyl	68955-53-3	PNEC	2.14 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)	
Amines, C10-14-tert- alkyl	68955-53-3	PNEC	0.214 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)	
Amines, C10-14-tert- alkyl	68955-53-3	PNEC	0.428 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)	

8.2 Exposure controls

General safety precautions

Use only in well-ventilated areas.

In case of insufficient ventilation, wear suitable respiratory equipment.

Avoid contact with skin and eyes.

Do not eat, drink and smoke in work areas.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. Use safety goggle with side protection.

Skin protection

- Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Type of material. NBR: acrylonitrile-butadiene rubber. CR: chloroprene (chlorobutadiene) rubber. PVC: polyvinyl chloride.

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

Not required.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid, solid, gaseous (spray aerosol)
Colour	yellowish brown
Odour	Like oil
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	<0 °C at 1,013 hPa

United Kingdom: en Page: 10 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number: 2.7 Replaces version: (2) Date of issue **Revision:** 2021-03-24. 2021-03-24

Flammability	flammable aerosol in accordance with GHS cri- teria
Lower and upper explosion limit	1.5 vol% - 10 vol%
Flash point	<-60 °C at 1 atm
Auto-ignition temperature	>200 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not relevant
Solubility(ies)	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value)	this information is not available
Vapour pressure	3,800 hPa at 20 °C
Density and/or relative density	
Density	0.73 ^g / _{cm³} at 20 °C
Particle characteristics	no data available
Other information	
Information with regard to physical hazard classes Aerosols	5

9.2

- Components (flammable) 69 %	
Other safety characteristics	
Propellant content	27.3 %

United Kingdom: en Page: 11 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

 Version number:
 Date of issue
 Revision:

 2.7
 2021-03-24
 2021-03-24.

Replaces version: (2)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. Keep away from heat.

Hints to prevent fire or explosion

Protect from sunlight.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture Name of substance **CAS No ATE Exposure route** (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine 110-25-8 11 ^{mg}/_I/4h inhalation: vapour (Z)-N-methyl-N-(1-oxo-9-octadecenyl)glycine 110-25-8 inhalation: dust/mist 1.37 mg/_I/4h Distillates (petroleum), hydrotreated heavy par-64742-54-7 inhalation: dust/mist 2.18 mg/1/4h affinic (Z)-octadec-9-enylamine, C16-18-(even numbered, 1213789-63-9 1,689 mg/kg oral saturated and unsaturated)-alkylamines 500 ^{mg}/_{kg} Amines, N-(C16-18 (even numbered) and C18-un-1290049-56-7 oral satd. alkyl) trimethylenedi-, ethoxylated(NLP) 500 ^{mg}/_{kg} Amines, C10-14-tert-alkyl 68955-53-3 oral $251 \, \text{mg/}_{kg}$ Amines, C10-14-tert-alkyl dermal 68955-53-3 0.5 mg/1/4h Amines, C10-14-tert-alkyl 68955-53-3 inhalation: vapour

United Kingdom: en Page: 12 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)2021-03-24.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture Name of substance **CAS No Endpoint** Value **Species Exposure** . time (Z)-N-methyl-N-(1-oxo-9-110-25-8 EC50 1,300 mg/_I 3 h microorganisms octadecenyl)glycine (Z)-octadec-9-enylamine, C16-18-(even numbered, 1213789-63-9 EC50 $0.24 \frac{mg}{I}$ aquatic invertebrates 21 d saturated and unsaturated)-alkylamines Amines, N-(C16-18 (even 1290049-56-7 EC50 240 µg/_I aquatic invertebrates 21 d numbered) and C18-unsatd. alkyl) trimethylenedi-, ethoxylated(NLP) 63.5 mg/_I Amines, C10-14-tert-al-68955-53-3 EC50 microorganisms 30 min

United Kingdom: en Page: 13 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)

12.2 Persistence and degradability

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C11-C14, n-al- kanes, soalkanes, cyclic, <2% aromatics	64742-47-8	oxygen depletion	7.3 %	4 d		ECHA
Hydrocarbons, C11-C14, n-al- kanes, soalkanes, cyclic, <2% aromatics	64742-47-8	carbon dioxide generation	0 %	3 d		ECHA
Hydrocarbons, C10-C13, n-al- kanes, isoalkanes, cyc- ics, < 2% aromat- ics	64742-48-9	oxygen depletion	10 %	5 d		ECHA
Hydrocarbons, C10-C13, n-al- kanes, isoalkanes, cyc- ics, < 2% aromat- ics	64742-48-9	carbon dioxide generation	0 %	3 d		ECHA
(Z)-N-methyl-N- (1-oxo-9-octade- cenyl)glycine	110-25-8	carbon dioxide generation	85.2 %	28 d		ECHA
(Z)-octadec-9-en- ylamine, C16-18- (even numbered, saturated and unsaturated)-al- kylamines	1213789-63-9	carbon dioxide generation	18 %	6 d		ECHA
(Z)-octadec-9-en- ylamine, C16-18- even numbered, saturated and unsaturated)-al- kylamines	1213789-63-9	oxygen depletion	34 %	5 d		ECHA
Amines, N-(C16- 18 (even numbered) and C18-unsatd. al- kyl) trimethylene- di-, ethoxylated(NLP)	1290049-56-7	carbon dioxide generation	61 %	28 d		ECHA
Amines, N-(C16- 18 (even numbered) and C18-unsatd. al- kyl) trimethylene- di-, ethoxylated(NLP)	1290049-56-7	DOC removal	90 %	28 d		ECHA
Amines, C10-14- tert-alkyl	68955-53-3	oxygen depletion	22 %	28 d		ECHA

United Kingdom: en Page: 14 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

 Version number:
 Date of issue
 Revision:

 2.7
 2021-03-24
 2021-03-24.

Replaces version: (2)

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics	64742-47-8		6 - 8.2	
butane	106-97-8		1.09 (pH value: 7, 20 °C)	
Propane	74-98-6		1.09 (pH value: 7, 20 °C)	
isobutane	75-28-5		1.09 (pH value: 7, 20 °C)	
(Z)-N-methyl-N-(1-oxo-9-octade- cenyl)glycine	110-25-8		≥3.5 – ≤4.2 (pH value: 7, 20 °C)	
Amines, N-(C16-18 (even numbered) and C18-unsatd. alkyl) trimethylenedi-, ethoxylated(NLP)	1290049-56-7		2.8 (25 °C)	
Amines, C10-14-tert-alkyl	68955-53-3		2.9 (pH value: ~7, 23 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes

- Product

13 02 08* other engine, gear and lubricating oils

15 01 04 metallic packaging

16 05 04* gases in pressure containers (including halons) containing hazardous substances

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United Kingdom: en Page: 15 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN 1950 IMDG-Code UN 1950 ICAO-TI UN 1950

14.2 UN proper shipping name

ADR/RID/ADN AEROSOLS IMDG-Code AEROSOLS

ICAO-TI Aerosols, flammable

14.3 Transport hazard class(es)

ADR/RID/ADN 2 (2.1)
IMDG-Code 2.1
ICAO-TI 2.1

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Classification code 5F
Danger label(s) 2.1



Special provisions (SP) 190, 327, 344, 625

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D

United Kingdom: en Page: 16 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -

Danger label(s) 2.1

2

Special provisions (SP) 63, 190, 277, 327, 344, 381, 959

Excepted quantities (EQ) E0
Limited quantities (LQ) 1 L
EmS F-D, S-U

Stowage category -

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 2.1



Special provisions (SP) A145, A167

Excepted quantities (EQ) E0
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		R3	3
Distillates (petroleum), hydrotreated heavy paraffinic	carcinogenic		R28-30	28
Propane	flammable / pyrophoric		R40	40
butane	flammable / pyrophoric		R40	40
isobutane	flammable / pyrophoric		R40	40

Legend

R28-30

- 1. Shall not be placed on the market, or used,
- as substances
- as constituents of other substances, or,
- in mixtures,

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,

- the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: 'Restricted to professional users'.

2. By way of derogation, paragraph 1 shall not apply to:

United Kingdom: en Page: 17 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number: Date of issue Revision: 2021-03-24 2021-03-24. Replaces version: (2)

Legend

- (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
- (b) cosmetic products as defined by Directive 76/768/EEC;
- (c) the following fuels and oil products:
- motor fuels which are covered by Directive 98/70/EC,
- mineral oil products intended for use as fuel in mobile or fixed combustion plants,
- fuels sold in closed systems (e.g. liquid gas bottles);
- (d) artists' paints covered by Directive 1999/45/EC; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date.
- R3 1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 - 2. Articles not complying with paragraph 1 shall not be placed on the market.
 - 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both,
 - can be used as fuel in decorative oil lamps for supply to the general public, and, present an aspiration hazard and are labelled with R65 or H304,

 - 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
 - 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
 - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage';
 - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
 - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
 - 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
 - 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.
- R40
- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration, artificial snow and frost,
- - 'whoopee' cushions,
 - silly string aerosols,
 - imitation excrement,
 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,

 - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
 - 'For professional users only'.
 - 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 - 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Seveso Directive

2012/	2012/18/EU (Seveso III)			
No	No Dangerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes	
P3a	flammable aerosols (containing Flam. Gas or Flam. Liq.)	150	500	46)

United Kingdom: en Page: 18 / 25

^{&#}x27;flammable' aerosols category 1 or 2, containing flammable gases category 1 or 2 or flammable liquids category 1



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

 Version number:
 Date of issue
 Revision:

 2.7
 2021-03-24
 2021-03-24.

Replaces version: (2)

Notation

Note: qualifying quantity = net

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

National inventories

Country	Inventory	Status
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
EU	REACH Reg.	all ingredients are listed or exempt from listing
US	TSCA	all ingredients are listed

Legend

DSL Domestic Substances List (DSL)
NDSL Non-domestic Substances List (NDSL)
REACH Reg. REACH registered substances
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
2.3	Other hazards	Other hazards: of no significance	yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.		yes
3.2		Hazardous ingredients: change in the listing (table)	yes
3.2		Hazardous ingredients: change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
9.1	Appearance		yes
9.1	Physical state: aerosol (spray aerosol)	Physical state: liquid, solid, gaseous (spray aerosol)	yes

United Kingdom: en Page: 19 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
9.1	Other safety parameters		yes
9.1	Initial boiling point and boiling range	Boiling point or initial boiling point and boiling range	yes
9.1	Flammability (solid, gas)	Flammability	yes
9.1	Explosive limits	Lower and upper explosion limit: 1.5 vol% - 10 vol%	yes
9.1	Evaporation rate: not determined		yes
9.1	Lower explosion limit (LEL): 1.5 vol%		yes
9.1	Upper explosion limit (UEL): 10 vol%		yes
9.1		Decomposition temperature: not relevant	yes
9.1		Kinematic viscosity: not relevant	yes
9.1	- n-octanol/water (log KOW)	Partition coefficient n-octanol/water (log value)	yes
9.1		Density and/or relative density	yes
9.1	Vapour density: this information is not available		yes
9.1	Viscosity: not relevant (aerosol)		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1		Particle characteristics: no data available	yes
9.2		Information with regard to physical hazard classes	yes
9.2		Aerosols	yes
9.2		Components (flammable): 69 %	yes
9.2		Other safety characteristics	yes
11.1	Information on toxicological effects	Information on hazard classes as defined in Regu- lation (EC) No 1272/2008	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.2		Information on other hazards: There is no additional information.	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes

United Kingdom: en Page: 20 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.6	Endocrine disrupting potential	Endocrine disrupting properties	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
14.1	UN number: 1950	UN number or ID number	yes
14.1		ADR/RID/ADN: UN 1950	yes
14.1		IMDG-Code: UN 1950	yes
14.1		ICAO-TI: UN 1950	yes
14.2	UN proper shipping name: AEROSOLS	UN proper shipping name	yes
14.2		ADR/RID/ADN: AEROSOLS	yes
14.2		IMDG-Code: AEROSOLS	yes
14.2		ICAO-TI: Aerosols, flammable	yes
14.3	Class: 2 (gases) (aerosol)		yes
14.3	Subsidiary risk(s): 2.1 (flammable)		yes
14.3		ADR/RID/ADN: 2 (2.1)	yes
14.3		IMDG-Code: 2.1	yes
14.3		ICAO-TI: 2.1	yes
14.4	Packing group: not assigned to a packing group	Packing group: not assigned	yes
14.7	Transport in bulk according to Annex II of MAR- POL and the IBC Code	Maritime transport in bulk according to IMO instruments	yes
14.7	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information	yes
14.7	UN number: 1950		yes
14.7	Proper shipping name: AEROSOLS		yes
14.7	Class: 2		yes

United Kingdom: en Page: 21 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)2021-03-24.

Safety-rel-Section Former entry (text/value) Actual entry (text/value) evánt 14.7 International Maritime Dangerous Goods Code International Maritime Dangerous Goods Code yes (IMDG) (IMDG) - Additional information 14.7 UN number: yes 1950 14.7 Proper shipping name: yes **AEROSOLS** 14.7 Class: yes International Civil Aviation Organization (ICAO-International Civil Aviation Organization (ICAO-14.7 yes IATA/DGR) - Additional information IATA/DGR) 14.7 UN number: yes 1950 14.7 Proper shipping name: yes Aerosols, flammable 14.7 Class: yes 2.1 16 Abbreviations and acronyms: yes change in the listing (table) 16 Key literature references and sources for data: Key literature references and sources for data: Regulation (EC) No 1272/2008 on classification, la-Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mix-tures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.Transport of dangerbelling and packaging of substances and mix-tures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.Transport of dangerous goods by road, rail and inland waterway ous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Danger-(ADR/RID/ADN). International Maritime Danger-

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)

ous Goods Code (IMDG). Dangerous Goods Regulus Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom: en Page: 22 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number: 2.7 Replaces version: (2) **Date of issue** 2021-03-24 **Revision:** 2021-03-24.

Abbr.	Descriptions of used abbreviations
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Gas	Flammable gas
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals

United Kingdom: en Page: 23 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

 Version number:
 Date of issue
 Revision:

 2.7
 2021-03-24
 2021-03-24.

Replaces version: (2)

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UFI	Unique formula identifier
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

United Kingdom: en Page: 24 / 25



according to Regulation (EC) No. 1907/2006 (REACH)

Interflon Fin Super (Aerosol)

Version number:Date of issueRevision:2.72021-03-242021-03-24.Replaces version: (2)

Code	Text
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 25 / 25