
Printing date 09.02.2021

Version number 3

Revision: 09.02.2021



Printing date 09.02.2021	Version number 3 Revision: 09.0	2.2021
Frade name: K2 ACTIVE FOAM		
P280 Wear eye pro P302+P352 IF ON SKIN P305+P351+P338 IF IN EYES: present and of	(Contd. or ghly after handling. neection / face protection. Wash with plenty of water. Rinse cautiously with water for several minutes. Remove contact lea easy to do. Continue rinsing. ontents/container to a waste container. <b>ment</b>	
SECTION 3: Composition	/information on ingredients	
• 3.2 Mixtures • Description: Mixture: consisting	of the following components.	
• Description: Mixture: consisting • Dangerous components:		
• <b>Description:</b> Mixture: consisting	tetrasodium ethylenediaminetetraacetate	<5%
• <b>Description:</b> Mixture: consisting • <b>Dangerous components:</b> CAS: 64-02-8 EINECS: 200-573-9 Reg.nr.: 01-2119486762-27-XX CAS: 111-76-2 EINECS: 203-905-0	tetrasodium ethylenediaminetetraacetate	<5% <5%
• <b>Description:</b> Mixture: consisting • <b>Dangerous components:</b> CAS: 64-02-8 EINECS: 200-573-9 Reg.nr.: 01-2119486762-27-XX CAS: 111-76-2 EINECS: 203-905-0	tetrasodium ethylenediaminetetraacetate Eye Dam. 1, H318; Acute Tox. 4, H302 X 2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332;	
<ul> <li>Description: Mixture: consisting</li> <li>Dangerous components:</li> <li>CAS: 64-02-8</li> <li>EINECS: 200-573-9</li> <li>Reg.nr.: 01-2119486762-27-XXX</li> <li>CAS: 111-76-2</li> <li>EINECS: 203-905-0</li> <li>Reg.nr.: 01-2119475108-36-XXX</li> <li>CAS: 27306-90-7</li> </ul>	tetrasodium ethylenediaminetetraacetate Eye Dam. 1, H318; (1) Acute Tox. 4, H302 2-butoxyethanol (1) Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; XX Skin Irrit. 2, H315; Eye Irrit. 2, H319 Alkyl ether carboxylic acid	<5%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

• General information:

Take affected persons out into the fresh air.

Personal protection for the First Aider.

• *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• *After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.* 

· After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

<sup>-</sup> GB -

Printing date 09.02.2021

Version number 3

Revision: 09.02.2021

(Contd. of page 2)

Trade name: K2 ACTIVE FOAM

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.* 

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray.
- Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- *Protective equipment:* No special measures required.
- · Additional information Cool endangered receptacles with water spray.

### **SECTION 6:** Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
  6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

• **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

*Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.* 

· Information about fire - and explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 09.02.2021

Version number 3

Revision: 09.02.2021

Trade name: K2 ACTIVE FOAM

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

#### 111-76-2 2-butoxyethanol

WEL Short-term value: 246 mg/m<sup>3</sup>, 50 ppm Long-term value: 123 mg/m<sup>3</sup>, 25 ppm Sk, BMGV

1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m<sup>3</sup>

#### · Ingredients with biological limit values:

### 111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the skin. Avoid contact with the eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

GB

Printing date 09.02.2021

Version number 3

Revision: 09.02.2021

Trade name: K2 ACTIVE FOAM

(Contd. of page 4)

· Eye/face protection



\*

Tightly sealed goggles

9.1 Information on basic physical and chemical p	properties
General Information	
Physical state	Fluid
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling	
range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Soluble.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of health an	d
environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	25
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void

Printing date 09.02.2021

Version number 3

Revision: 09.02.2021

Trade name: K2 ACTIVE FOAM

		(Contd. of page 5
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	able	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· LD/LC50	values	rel	levant	for	classification:	

ATE (Acu	te Toxicity	Estimates)				
Oral	LD50	4,392 mg/kg				
Dermal	LD50	41,408 mg/kg (rab)				
Inhalative	LC50/4 h	228 mg/l				
64-02-8 te	64-02-8 tetrasodium ethylenediaminetetraacetate					
Oral	LD50	500 mg/kg (ATE)				
111-76-2 2	111-76-2 2-butoxyethanol					
Oral	LD50	1,746 mg/kg (rat)				
Dermal	LD50	2,000 mg/kg (rab)				
Inhalative	LC50/4 h	11 mg/l (ATE)				
3080620-2	3080620-28-4 Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides					
Oral	LD50	500 mg/kg (ATE)				
1310-73-2	1310-73-2 sodium hydroxide					
Oral	LD50	2,000 mg/kg (rat)				
	• Skin corrosion/irritation Causes skin irritation. • Serious eye damage/irritation Causes serious eye damage.					

(Contd. on page 7)

<sup>-</sup> GB

Printing date 09.02.2021

Version number 3

Revision: 09.02.2021

(Contd. of page 6)

Trade name: K2 ACTIVE FOAM

### • 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The product is biodegradable. Degree of biodegradation> 70%
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*

· 14.1 UN number or ID number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
· ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
· Class	Void	
· Label	-	
· ADN/R Class:	Void	
· 14.4 Packing group		
· ADR, IMDĞ, IATA	Void	

Printing date 09.02.2021

Version number 3

Revision: 09.02.2021

Trade name: K2 ACTIVE FOAM

		(Contd. of page 7)		
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No			
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Code</li> </ul>	Not applicable. - - SW2 Clear of living quarters.			
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.				
· UN "Model Regulation":	Void			

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

#### · National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

*H411 Toxic to aquatic life with long lasting effects.* 

· Classification according to Regulation (EC) No 1272/2008

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 9)

GB

Printing date 09.02.2021

Version number 3

Revision: 09.02.2021

Trade name: K2 ACTIVE FOAM

(Contd. of page 8) · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 \* Data compared to the previous version altered. The section that were changed since the last version are marked with an asterisk on the left section number GB